Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	@ad<"2002011" and ((download\$3 or retriev\$3) with (codec)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:23
L2	0	@ad<"2002011" and ((download\$3 or retriev\$3) with (transcod\$3)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05.12:54
L3	0	@ad<"2002011" and ((download\$3 or retriev\$3) with (codec))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:54
L4	0	@ad<"2002011" and ((download\$3 or retriev\$3) with (transcod\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:06
L6	0	@ad<"2002011" and (pda with (dvr or pvr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:08
L7	0	@ad<"2002011" and ((digital near2 assistant) with (dvr or pvr or (video adj recorder)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:07
L8	0	@ad<"2002011" and (((digital near2 assistant) or pda) with (dvr or pvr or (video adj recorder)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:07
L9	1821	(((digital near2 assistant) or pda) with (dvr or pvr or (video adj recorder))) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:07

L10	213	@ad<"20020111" and (((digital near2 assistant) or pda) with (dvr or pvr or (video adj recorder)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/05 13:07
L11 `	75	@ad<"20020111" and (pda with (dvr or pvr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:08
L12	5	@ad<"20020111" and (pda near3 (dvr or pvr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:08
L13	17	@ad<"20020111" and (pda with (dvr or pvr)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:11
L14	0	@ad<"20020111" and (pda with wherein with (dvr or pvr)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:11
L15	0	@ad<"20020111" and (pda with wherein with (dvr or pvr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:11
L16	1	@ad<"20020111" and (pda with storing with (dvr or pvr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:11
L17	. 0	@ad<"20020111" and (pda with act\$3 with (dvr or pvr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:12

			,			
L18	81	@ad<"20020111" and (server with (dvr or pvr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:14
L19	40	@ad<"20020111" and (server with network\$3 with (dvr or pvr))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:14
L20	8	@ad<"20020111" and (server with network\$3 with (dvr or pvr)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:14
L21	15	@ad<"20020111" and ((download\$3 or retriev\$3) with (codec)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:25
L22		@ad<"20020111" and ((download\$3 or retriev\$3) with (transcod\$3)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/05 13:26
S1	2	"20020019984"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:52
S2	11	"6421069"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 13:55
S3	12	("1394" or firewire or (fire adj wire) or ilink or (i adj link)) with (transcod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:23

			1			
S4	34	("1394" or firewire or (fire adj wire) or ilink or (i adj link)) same (transcod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:19
S5	22	S4 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/03 15:19
S6	263	(usb or (universal adj serial adj bus) or "1394" or firewire or (fire adj wire) or ilink or (i adj link)) with (convert\$3 near3 (control or instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:24
S7	11	(usb or (universal adj serial adj bus)) with (transcod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:24
S8	5	((usb or (universal adj serial adj bus) or "1394" or firewire or (fire adj wire) or ilink or (i adj link)) with (convert\$3 near3 (control or instruction))) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:25
S9	3	(external\$4 near2 (dvr or pvr or (video adj recorder))) with transcod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:42
S10	64	((dvr or pvr or (video adj recorder))) with transcod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:44
S11	0	((dvr or pvr or (video adj recorder))) with transcod\$3 with quality with remain\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:43

S12	3	((dvr or pvr or (video adj recorder))) with transcod\$3 with quality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/10/03 15:43
S13	3	((dvr or pvr or (video adj recorder))) with (quality near3 (space or remain\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:45
S14	573	((dvr or pvr or (video adj recorder))) with (quality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:45
S15.	14	((dvr or pvr or (video adj recorder))) with (quality) with (remain\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/03 15:46
S16	5	((dvr or pvr or (video adj recorder))) with (bit adj rate) with (remain\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 15:46
S17	27	((dvr or pvr or (video adj recorder))) with ((set or setting) near3 quality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/10/03 15:47
S18	0	(register with connect\$3 with setting with (dvr or pvr or (video adj recorder)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 08:35
S19	. O	(register\$3 with connect\$3 with setting with (dvr or pvr or (video adj recorder)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/04 08:35

	T					
S20	8	(register\$3 with setting with (dvr or pvr or (video adj recorder)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 08:40
S21	314	(register\$3 with (dvr or pvr or (video adj recorder)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 08:40
S22	22	(register\$3 with (dvr or pvr or (video adj recorder))) and "725"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 08:48
S23	3	(setting\$3 with memory with (dvr or pvr or (video adj recorder))) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 08:44
S24	5	(refus\$3 with (dvr or pvr or (video adj recorder))) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:02
S25	17	(codec with (dvr or pvr or (video adj recorder))) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:03
S26	1	725/134,142.ccls. and (codec near3 (new or download\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:06
S27	2	725/134,142.ccls. and (codec near3 (receiv\$3 or new or download\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:07

				· · · · · · · · · · · · · · · · · · ·	,	
S28	. 8	725/134,142.ccls. and (download\$3 with (codec or compression))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:08
<b>S29</b>	. 1	725/134,142.ccls. and (instal\$4 with (codec or compression))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:08
S30	27	725/134,142.ccls. and codec	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:10
S31	1	"725"/\$.ccls. and (codec with (website or (web adj site)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/04 09:11
S32	35	"725"/\$.ccls. and (codec with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:13
S33	6	"725"/140.ccls. and (codec )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/10/04 09:13
S34	3	"725"/\$.ccls. and (upgrad\$3 with codec )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:18
S35	2	"20020121251"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:17

S36	2	"20020124251"	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/10/04 09:17
		•	DERWENT; IBM_TDB			
S37	91	(upgrad\$3 with codec )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:18
S38 <sub>.</sub>	0	(upgrad\$3 with codec) same (dvr or pvr or (video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:18
S39	6	(upgrad\$3 with codec) and (dvr or pvr or (video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:21
S40	0	(website or (web adj site)) with purchas\$3 with codec	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:22
S41	24	purchas\$3 with codec	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:22
S42	2	(purchas\$3 with codec) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:23
S43	235	(purchas\$3 with (upgrad\$3 or software)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:23

Page 8

S44	4	(purchas\$3 with (upgrad\$3 or software) with (website or (web adj site))) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:46
S45	64	((store or storing) with setting) same (dvr or pvr or (video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/04 09:47
S46	24	(((store or storing) with setting) same (dvr or pvr or (video adj recorder))) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 09:48
S47		(((store or storing) with setting with (stt or stb or (set adj top))) same (dvr or pvr or (video adj recorder))) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/04 09:49

Page 9